



ISO/IEC 17025:2017
 P/LA Accreditation #: 75696
 Accreditation Field: Testing
 lab@summitnutritional.com

Report Number: 231113 018-01.142
 Date Reported: 11/21/2023
 Date(s) Tested: 11/13/2023 - 11/21/2023

Sample Details

Product #: Vision Health Plus
 Description: Vision Health Plus
 Lot #: VHP231012
 Received: 11/13/2023 3:56:16 PM

Customer Information

Sample Details:

Certificate of Analysis

Chemistry	Method	Specifications	Result	Units
Heavy Metals				
Arsenic	USP <232>	< 1.5	0.122	ppm
Cadmium	USP <232>	< 0.5	0.056	ppm
Lead	USP <232>	< 0.5	0.109	ppm
Mercury	USP <232>	< 1.5	< 0.001	ppm
Minerals				
Magnesium	WLICP.409	> 20	20.880	mg/serving
Zinc	WLICP.408	> 16	16.245	mg/serving
Physical				
Serving Size	SNLMA.210		1.00	Capsule
Average Gross Weight	WLUSP.2091.02	806.6 - 985.8	916.20	mg
Average Net Fill Weight	WLUSP.2091.02	696.6 - 851.3	774.00	mg
%RSD	WLUSP.2091.02	< 6	4.4	% RSD
Vitamins				
Vitamin B1 Thiamine mononitrate	WLHPLC.306.07	> 4	5.261	mg/serving

Microbiology	Method	Specifications	Result	Units
Total Plate Count	AOAC Modified	< 10000	<1000	cfu/g
Total Coliform	AOAC 2018.13 Petrifilm	< 1000	<10	cfu/g
E.coli	PCR	None Detected	None Detected	cfu/10g
Salmonella spp.	PCR	None Detected	None Detected	cfu/10g
Staphylococcus aureus	PCR	None Detected	None Detected	cfu/10g
Yeasts & Molds	AOAC Modified	< 1000	<100	cfu/g




ISO/IEC 17025:2017
PJLA Accreditation #: 75696
Accreditation Field: Testing
lab@summitnutritional.com

Report Number: 231113 018-01.142
Date Reported: 11/21/2023
Date(s) Tested: 11/13/2023 - 11/21/2023

Sample Details

Product #: Vision Health Plus
Description: Vision Health Plus
Lot #: VHP231012
Received: 11/13/2023 3:56:16 PM

Customer Information



Sample Details:

Certificate of Analysis

Report Approved by:

Joel Nelson
Laboratory Manager

*= Please review Client Specifications

Y=Indicates an ISO/IEC 17025:2017 accredited analysis. To review the full scope of accreditation, visit www.summitnutritional.com

Report Numbers that have been revised or amended will include a revision number.

This Certificate of Analysis shall not be reproduced, except in full, without written permission from the laboratory. This Certificate of Analysis results apply to the items tested. Further information is available, upon request, when needed for the interpretation of the test results.

This Certificate of Analysis is provided for the exclusive use of the addressee. The laboratory accepts no responsibility/liability except for the due performance of inspection and/or analysis in good faith.